



77 Magill Road, Stepney
Adelaide, South Australia 5069
Telephone +61 8 8366 1900
Facsimile +61 8 8362 8400
Website: www.sentek.com.au

Irrigation and Hydrology Department

Sentek Reference List

8/18/2004

Compiled by Mike Dalton and Claire Roberts

The following scientific references relate directly to the EnviroSCAN[®], EnviroSMART[™], Diviner 2000[®] and TriSCAN[®] technologies:

Ajwa, H. and T. Trout Distribution of drip applied fumigants under various conditions. Fresno, California, United States Department of Agriculture - Agricultural Research Service.

Alva, A. (2001). Evaluation of enviroscan capacitance probes for monitoring soil moisture content in center pivot irrigated potato field, United States Department of Agriculture.

Alva, A. K., H. P. Collins, et al. (2002). Evaluation of enviroscan capacitance probes for monitoring soil moisture in center pivot irrigated potatoes. **2003**.

Alva, A. K. and A. Fares (1998). A new technique for continuous monitoring of soil moisture content to improve citrus irrigation. Proceedings of Florida State Horticulture Society, St. Petersburg, FL, FSHS.

Alva, A. K. and A. Fares (1999). Precision scheduling of irrigation in sandy soils using capacitance probes. Conference Proceedings: Dahlia Greidinger International Symposium on Nutrient Management under Salinity and Water Stress, Technion IIT, Haifa Israel.

Arcamonte, M. S. (1996). The underground: new soil moisture sensor aids irrigation. Tree Fruit. **5**: 3-5.

Ayers, B. K., M. O. O'Kane, et al. (2002). Construction and instrumentation of waste rock test covers at Whistle Mine, Ontario, Canada. Tailings and Mine Waste Conference, Fort Collins, Colorado.

Aylmore, P. M., G. Luke, J., et al. Moisture sensors in sands, Department of Agriculture, Western Australia.

Battam, M., D. Broughton, et al. (2000). Drip irrigation of cherries at Young. Good Fruit and Vegetables. **11**.

Baumhardt, R. L., R. J. Lascano, et al. (2000). "Soil material, temperature, and salinity effects on calibration of multisensor capacitance probes." Soil Science Society of America Journal **64**: 1940-1946.

Beers, E. H., P. D. Himmel, et al. Interaction of herbivory and water stress on whole canopy photosynthesis in apple.

Bell, J. P., T. J. Dean, et al. (1987). "Soil moisture measurement by an improved capacitance technique, part II. Field techniques, evaluation and calibration." Journal of Hydrology **93**: 79-90.

Bradfield, L. (1999). New soil sensor technology. Waste Management and Environment: 45.

Bradfield, L. (1999). Water diviner is always right. ATM Ascent Technology Magazine. **34**: 8.

Buss, P. (2000). Measuring soil moisture to improve yields and wine quality. Seminar; Modern Vineyard Development Emphasising the Smart Dyson Trellis, Orange.

Buss, P., M. Dalton, et al. (2004). Precision management in viticulture - an overview of an Australian integrated approach. Role and Importance of Integrated Soil and Water Management for Orchard Development (Vineyards and Olive Trees) Conference, Mosciano S. Angelo, Italy.

Buss, P. and C. Estcourt-Hughes (1999). "Sensors ain't sensors: to compare soil moisture sensors you need to look beyond the numbers." Irrigation Australia **14**(3): 11.

Cepuder, P. and G. Hauer (2003). "Rohrsonden zur Wasseranteilsbestimmung." Gumpensteiner Lysimetertagung **10**(29): 157-159.

Chapman, C. (2002). C-Probe: measuring for management. Cotton Outlook: 20.

Clancy, T. (1996). Better irrigation scheduling proved valuable. Irrigation Australia Conference: 40.

Costley, D. (2000). Getting early results. National Grapegrowers. **October 2000**: 48-49.

Cross, N. (1996). A look at effective rainfall. The Australian Grapegrower & Winemaker: 112-113.

Dalton, M. (2001). "NOVA update: interim report on water use efficiency of Olea europea var. Barnea and Frantoio olive varieties." The Olive Press: 13.

Dalton, M., P. Buss, et al. (2004). TriSCAN: a continuous method of fertilizer/salinity and soil water profiling: the theory and application in a vineyard irrigated with saline water. Irrigation Australia 2004: Irrigation Coming of Age! Conference, Adelaide Convention centre.

Evelt, S., J. Laurent, et al. (2002). Neutron scattering, capacitance, and TDR soil water content measurements compared on four continents. 17th World Congress of Soil Sciences, Thailand.

Fares, A. (1998). EnviroSCAN capacitance probe, new technology for optimal water usage. Tunisian Scientific Magazine. **12**: 68-71.

Fares, A. (2000). "Evaluation of capacitance probes for optimal irrigation of citrus through soil moisture monitoring in an entisol profile." Irrigation Science **19**: 57-64.

Fares, A. and A. A. Alva Drainage case study: use of enviroscan to optimise citrus irrigation and to calculate evapotranspiration and drainage below the root zone. Florida, University of Florida, Citrus Research and Education Center.

Fares, A. and A. K. Alva (1997). Application of capacitance probe to estimate evapotranspiration. The Soil Science Society of America Annual Meeting, Anaheim, CA.

Fares, A. and A. K. Alva (1997). Continuous monitoring of *in-situ* moisture water content using capacitance probes. Joint AGU Chapman and SSSA Outreach Conference, Riverside, CA.

Fares, A. and A. K. Alva (1997). Use of capacitance probe to develop field estimation of soil water budget. Joint AGU Chapman and SSSA Outreach Conference, Riverside, CA.

Fares, A. and A. K. Alva (1999). Effect of soil temperature on capacitance probe soil moisture determination in sandy soils. Annual Meeting Abstracts: American Society of Agronomy, 91st Annual Meeting.

Fares, A. and A. K. Alva (1999). "Estimation of citrus evapotranspiration by soil water mass balance." Soil Science **164**(5): 302-310.

Fares, A. and A. K. Alva (1999). Evaluations of capacitance probes in monitoring soil water content under sandy soils. The Soil Science Society of America Annual Meeting, Salt Lake City, Utah.

Fares, A. and A. K. Alva (1999). Water relations, fruit quality and yield of citrus grove grown under different irrigation and fertigation rates in a sandy soil. Conference Proceedings: Dahlia Greidinger International Symposium on Nutrient Management under Salinity and Water Stress, Technion IIT, Haifa Israel.

Fares, A. and A. K. Alva (2000). "Evaluation of capacitance probe for monitoring soil moisture content in a sandy Entisol profile with citrus trees." Irrigation Science **20**(1): 1-8.

Fares, A. and A. K. Alva (2000). "Soil water components based on capacitance probes in a sandy soil." Soil Science Society of America Journal **64**: 311-318.

Fares, A., A. K. Alva, et al. (2000). "Estimation of soil hydraulic properties of a sandy soil using capacitance probes and Geulph Permeameter." Soil Science **165**(10).

Fares, A., A. K. Alva, et al. (1999). Soil hydraulic properties determination using capacitance probe. The Sixth International Meeting on Soils of Mediterranean Type Climate, Barcelona, Spain.

Fares, A., A. K. Alva, et al. (1997). Soil moisture monitoring techniques for optimizing citrus irrigation. Trends in Soil Science. New Delhi, India. **2**: 153-180.

Fares, A., P. Buss, et al. (2003). "Dual field calibration of capacitance and neutron sensors in a shrinking-swelling clay soil." Vadose Zone Journal (unpublished) - submitted.

Fares, A., J. Simunek, et al. (2001). Evaluation of the performance of HYDRUS-2D in simulating effects of shading and irrigation on soil water content and temperature. American Geophysical Union, Fall Meeting Conference, San Francisco.

Gatto, R. and G. Levy (2001). Australian Patent: Automatic depth sensing detection for portable soil moisture probes. Registrar of Patents. Australia.

Gatto, R. and G. Levy (2001). Republic of South Africa Patent: Automatic depth sensing detection for portable soil moisture probes. Registrar of Patents. Republic of South Africa.

Gaze, S. R. (1998). Literature review of capacitance methods of measuring soil water content with particular emphasis on the EnviroSCAN. Cambridge, Cambridge University Farm.

Gish, T. J., W. P. Dulaney, et al. (2002). "Evaluating use of ground-penetrating radar for identifying subsurface flow pathways." Soil Science Society of America Journal **66**(5): 1620-1629.

Goeldner, D. (1999). Ned Churchward: the face of sugarcane. Australian Sugarcane: 6-11.

Goldhamer, D. A., M. Salinas, et al. (2001). "Peach trees perform similarly despite different irrigation scheduling methods." California Agriculture **55**(1): 25-29.

Hambelton, L. (1997). Soil moisture monitoring key to controlled water use. Irrigation and Drainage: 43-45.

Hancock, S., B. Fox-Lane, et al. Soil moisture monitoring to assist sustainable landfill design and management.

Hancock, S., B. Fox-Lane, et al. Sustainable landfill design by monitoring and managing cap infiltration.

Hardie, M., P. Broomhall, et al. (1999). When to water: a case study. Australian Sugarcane: 30.

Harrison, W. (1995). EnviroSCAN gives boost to cotton water use efficiency. The Australian Cottongrower: 52-55.

Heng, L. K., G. Cayci, et al. (2002). Comparison of soil moisture sensors between neutron probe, diviner 2000 and TDR under tomato crops. 17th World Congress of Soil Sciences, Thailand.

Hoffmann, G. (2001). Efficient irrigation saves water. Grape Growers: 53.

Hughes, J. (1996). A soil moisture monitoring system helps growers with irrigation scheduling. The Grower: 12-13.

Hulme, P. (1995). Report on calibration of EnviroSCAN for Sentek Ltd. Trangie, Hassall and Associates Pty. Ltd. Agricultural Consultants: 1-30.

Hulme, P. (1997). Calibration of EnviroSCAN in cracking clay soil at three locations in Eastern Australia, Hassall and Associates Pty Ltd.

Humphreys, L. (2003). Rigorously determined water balance benchmarks for irrigated crops and pastures, CSIRO Land and Water.

Johnson, P. (1997). How can you fine-tune needs of irrigation? Potato Grower: 24.

Konig, A. (1998). EnviroSCAN saves water and increases productivity. Australian Horticulture: 69-72.

Leib, B. (1999). "'Time" to compare soil moisture sensors." The Washington Irrigator Newsletter **3**(3).

Lovelidge, B. (1999). Monitoring is divine right. Grower: 22-23.

Malano, H. and M. L. Wood (1994). Real-time monitoring and control of surface irrigation systems. Melbourne, University of Melbourne : 57.

Malin, C. (1998). SA company wins agribusiness award. Stock Journal: 7.

McGavin, K. (1998). Riverland invention revolutionises world irrigation. The Murray Pioneer: 33.

McWhirter, D. (1996). Digital divining rod: new irrigation monitoring system uses computers to conserve water. News: 9.

Mead, R. M., J. E. Ayars, et al. (1995). Evaluating the influence of soil texture, bulk density and soil water salinity on a capacitance probe calibration. American Society of Agricultural Engineers (ASAE) Summer Meeting, Chigago, Illinois, USA.

Mead, R. M., J. E. Ayars, et al. (1995). Evaluation of the Sentek Enviroscan RT5 capacitance probe: laboratory calibration and field analysis. California, Water Management Research Laboratory, ARS-United States Department of Agriculture: 12.

Mead, R. M., I. C. Paltineanu, et al. (1994). Capacitance probe use in soil moisture measurements. American Society of Agricultural Engineers (ASAE) Summer Meeting, Chigago, Illinois, USA.

Mead, R. M., R. W. O. Soppe, et al. (1996). Capacitance probe observations of daily soil moisture fluctuations. Evapotranspiration and Irrigation Scheduling Conference Proceedings, San Antonio Convention Center, San Antonio, Texas, American Society of Agricultural Engineers.

Middleton, S. and A. McWaters (2002). "Hail netting of apple orchards- Australian experience." The Compact Fruit Tree **35**(2): 51-55.

Morgan, K. T., L. R. Parsons, et al. (1999). "Field calibration of a capacitance water content probe in fine sand soils." Soil Science Society of America Journal **63**: 987-989.

Nason, J. (1996). Innovative melons at Chinchilla. Queensland Country Life: 11.

Oltman, D. (1998). Underground surveillance. California Farmer: 8-16.

Orloff, A. (1993). Irrigation scheduling. How and why? Horticulture: 1-4.

Paltineanu, I. C. and J. L. Starr (1997). "Real-time soil water dynamics using multisensor capacitance probes: laboratory calibration." Soil Science Society of America Journal **61**(6): 1576-1585.

Peasley, D. and C. Rolfe (2003). Developing irrigation strategies for coffee under sub-tropical conditions. **2003**.

Pier, J. (1999). "EnviroSCAN data reveals growers irrigating too often." SSB Agronomy News **1**(2).

Pudney, S., A. Brown, et al. (2000). Soil moisture sensing - a demonstration in the Barossa Valley. The Australian Grapegrower & Winemaker: Annual Technical Issue: 82-85.

Roberts, J. (1998). Irrigation technology a hot topic for today's vintners and growers. Wine Business Monthly. **July/August**: 8.

Roberts, J. (1998). Irrigation technology a hot topic. Wine Business Monthly: 52-54.

Rose, S., S. Groves, et al. (2001). "Calibration of a capacitance sensor for soil water measurement." UK Irrigation **29**(Summer): 17-19.

Sanderson, J. (2000). "Making every drop count." Irrigation Australia **15**(1): 35-36.

Sentek (1992). Comparison of Watermark and EnviroSCAN soil water sensors. Adelaide, Sentek Pty. Ltd.: 1-4.

Sentek (2000). Sentek and Campbell in soil moisture partnership. Good Fruit and Vegetables. **11**: 35.

Sentek (2002). Sentek US probe release. Australian Viticulture, Winetitles. **March-April**: 85.

Starr, J. L. and I. C. Paltineanu (1998). "Soil water dynamics using multisensor capacitance probes in nontraffic interrows of corn." Soil Science Society of America Journal **62**(1): 114-122.

Starr, J. L. and I. C. Paltineanu (2000). Chapter 3: The soil solution phase. Methods of Soil Analysis, Part 1. Physical Methods. Madison, WI, Soil Science Society of America. **(in press)**.

Vomacka, J. G., M. A. Ross, et al. Hydrologic data collection for water budget modeling in the Alafia Basin.

Wanzel, R. J. (1997). Water sensing goes down under. PrecisionAg Illustrated: 38-39.

Watson, K., R. Gatto, et al. (1995). Australian Patent: Moisture and salinity sensor and method of use. Australia.

Watson, K., R. Gatto, et al. (1995). European Patent Specification: Moisture and salinity sensor and method of use. European Patent Office. Europe.

Watson, K., R. Gatto, et al. (1995). New Zealand Patent: Moisture and salinity sensor and method of use. New Zealand.

Watson, K., R. Gatto, et al. (1995). United States Patent: Moisture and salinity sensor and method of use. United States of America.

Wels, C., M. O'Kane, et al. (2001). Infiltration test plot study for mine rock piles at Questa Mine, New Mexico. 18th Annual Meeting, American Society for Surface Mining and Reclamation Conference, Albuquerque, New Mexico, ASSMR 3134 Montavesta Rd., Lexington KY 40502.

Wood, M. and H. Malano (1995). Realtime monitoring and control of surface irrigation systems. Melbourne, University of Melbourne : 48.